

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	((quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3) and (mode state) and (threshold predeter\$5 preset\$5 preference) and null and page).clm.	US-PGPUB	OR	ON	2006/06/09 11:24
L3	2	((quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) and (mode state) and (threshold predeter\$5 preset\$5 preference) and null and page).clm.	US-PGPUB	OR	ON	2006/06/09 11:24
L4	102	(((((quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$5) adj (mode state)) idle sleep slept awak\$3 wak\$3) near22 (receiv\$5 process\$5 deco\$5 encod\$5)) and ((threshold predeter\$5 preset\$5 preference) near30 null) and pattern\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 11:31
L5	95	(((((sleep\$5) adj (mode state)) idle sleep slept awak\$3 wak\$3) near22 (receiv\$5 process\$5 deco\$5 encod\$5)) and ((threshold predeter\$5 preset\$5 preference) near30 null) and pattern\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 11:41
L7	306	455/574.ccls. and saving	USPAT	OR	ON	2006/06/09 11:41
S1	34929	(((((quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3) adj (mode state)) idle sleep slept awak\$3 wak\$3) and decod\$5 and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 07:08
S2	3337	(((((quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3) adj (mode state)) idle sleep slept awak\$3 wak\$3) and decod\$5 and (compar\$5 near3 (threshold\$4 preset predertermin\$5 preferenc\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/04 17:28
S3	4007	(((((quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3) adj (mode state)) idle sleep slept awak\$3 wak\$3) and decod\$5 and (compar\$5 adj3 (produc\$5 generat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/04 17:29

EAST Search History

S4	771	("455"/\$.ccls. "370"/\$.ccls. "342"/\$.ccls. "340"/\$.ccls.) and (((quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3) adj (mode state)) idle sleep slept awak\$3 wak\$3) and decod\$5 and (compar\$5 adj3 (produc\$5 generat\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/04 17:30
S5	99	("455"/\$.ccls. "370"/\$.ccls. "342"/\$.ccls. "340"/\$.ccls.) and (((quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3) adj (mode state)) idle sleep slept awak\$3 wak\$3) and decod\$5 and (compar\$5 adj3 (produc\$5 generat\$5))) and null)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/04 17:30
S6	228	("455"/\$.ccls. "370"/\$.ccls. "342"/\$.ccls. "340"/\$.ccls.) and (((quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3) adj (mode state)) idle sleep slept awak\$3 wak\$3) and decod\$5 and (compar\$5 adj3 (produc\$5 generat\$5))) and page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 06:24
S7	434	(((quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3) adj (mode state)) idle sleep slept awak\$3 wak\$3) and ((threshold predeter\$5 preset\$5 preference) near30 null)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 07:09
S8	3	(((quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3) adj (mode state)) idle sleep slept awak\$3 wak\$3) and ((threshold predeter\$5 preset\$5 preference) near30 (null adj2 pattern))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 07:09
S9	3	(((quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3) adj (mode state)) idle sleep slept awak\$3 wak\$3) and ((threshold predeter\$5 preset\$5 preference) near30 (null adj2 pattern\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 07:11

EAST Search History

S10	181	((((quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3) adj (mode state)) idle sleep slept awak\$3 wak\$3) and ((threshold predeter\$5 preset\$5 preference) near30 null) and pattern\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 07:12
S11	102	(((((quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3) adj (mode state)) idle sleep slept awak\$3 wak\$3) near22 (receiv\$5 process\$5 deco\$5 encod\$5)) and ((threshold predeter\$5 preset\$5 preference) near30 null) and pattern\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 11:24
S12	16	(((((quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3) adj (mode state)) idle sleep slept awak\$3 wak\$3) near22 (receiv\$5 process\$5 deco\$5 encod\$5)) and ((threshold predeter\$5 preset\$5 preference) near30 null) and (null same pattern\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 09:43
S14	25	((threshold predeter\$5 preset\$5 preference) near30 null) and (null near12 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 09:48
S15	1	((threshold predeter\$5 preset\$5 preference) near30 null) and (null near12 page)).clm.	US-PGPUB	OR	ON	2006/06/09 11:21

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	((quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3) and (mode state) and (threshold predeter\$5 preset\$5 preference) and null and page).clm.	US-PGPUB	OR	ON	2006/06/09 11:24
L3	2	((quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) and (mode state) and (threshold predeter\$5 preset\$5 preference) and null and page).clm.	US-PGPUB	OR	ON	2006/06/09 11:24